



Here KOMADRILL
Refined sensitive tool lead to comfortable
and efficiency environment.



適材適所

価格表



洗練されたツールで、快適で能率的な環境を提供する

KOMADRILL[®]
KOMADRILL CO.LTD

※価格に消費税は含まれておりません。

充電ドライバードリルビット 六角軸(対辺6.35mm)【回転専用型】

Jtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
J-25	2.5	90	40	10	950
J-28	2.8	90	40	10	950
J-30	3.0	90	45	10	950
J-32	3.2	90	45	10	950
J-34	3.4	90	45	10	950
J-35	3.5	90	45	10	950
J-38	3.8	95	50	10	1,000
J-40	4.0	95	50	10	1,000
J-43	4.3	95	50	10	1,000
J-45	4.5	95	50	10	1,000
J-48	4.8	95	50	10	1,000
J-50	5.0	95	50	10	1,000
J-53	5.3	100	55	10	1,100
J-55	5.5	100	55	10	1,100
J-60	6.0	100	55	10	1,100
J-64	6.4	100	55	10	1,100
J-65	6.5	100	55	10	1,100
J-70	7.0	120	65	10	1,400
J-75	7.5	120	65	10	1,400
J-80	8.0	120	65	10	1,500
J-85	8.5	120	65	10	1,500

Jtype (3本入り)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (セット)	標準価格 (1セット)
P3-J34	3.4	90	45	5	2,700
P3-J35	3.5	90	45	5	2,700
P3-J43	4.3	95	50	5	2,700

JLtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
JL-34	3.4	120	75	10	1,300
JL-35	3.5	120	75	10	1,300
JL-43	4.3	120	75	10	1,400
JL-45	4.5	120	75	10	1,400
JL-53	5.3	120	75	10	1,550
JL-55	5.5	120	75	10	1,550

JLLtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
JLL-34	3.4	150	90	10	1,350
JLL-35	3.5	150	90	10	1,350
JLL-40	4.0	150	90	10	1,450
JLL-43	4.3	150	90	10	1,450
JLL-45	4.5	150	90	10	1,450
JLL-48	4.8	150	90	10	1,450
JLL-50	5.0	150	90	10	1,450
JLL-53	5.3	150	90	10	1,600
JLL-55	5.5	150	90	10	1,600
JLL-60	6.0	150	90	10	1,600
JLL-64	6.4	150	90	10	1,600
JLL-65	6.5	150	90	10	1,600

磁器タイル用充電ドライバードリルビット 六角軸(対辺6.35mm)【回転専用型】

JCtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
JC-30	3.0	90	45	10	1,150
JC-32	3.2	90	45	10	1,150
JC-34	3.4	90	45	10	1,150
JC-35	3.5	90	45	10	1,150
JC-38	3.8	95	50	10	1,200
JC-40	4.0	95	50	10	1,200
JC-43	4.3	95	50	10	1,200
JC-45	4.5	95	50	10	1,200
JC-48	4.8	95	50	10	1,200
JC-50	5.0	95	50	10	1,200
JC-53	5.3	100	55	10	1,350
JC-55	5.5	100	55	10	1,350
JC-60	6.0	100	55	10	1,350
JC-64	6.4	100	55	10	1,350
JC-65	6.5	100	55	10	1,350
JC-70	7.0	120	65	10	1,600
JC-75	7.5	120	65	10	1,600
JC-80	8.0	120	65	10	1,700
JC-85	8.5	120	65	10	1,700

JCtype <3本入り>

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (セット)	標準価格 (1セット)
JC3-34	3.4	90	45	5	3,200
JC3-35	3.5	90	45	5	3,200
JC3-40	4.0	95	50	5	3,200
JC3-43	4.3	95	50	5	3,200
JC3-45	4.5	95	50	5	3,200
JC3-50	5.0	95	50	5	3,200

振動用充電ドライバードリルビット 六角軸(対辺6.35mm)【振動専用型】

JStype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
JS-25	2.5	90	40	10	950
JS-28	2.8	90	40	10	950
JS-30	3.0	90	45	10	950
JS-32	3.2	90	45	10	950
JS-34	3.4	90	45	10	950
JS-35	3.5	90	45	10	950
JS-38	3.8	95	50	10	1,000
JS-40	4.0	95	50	10	1,000
JS-43	4.3	95	50	10	1,000
JS-45	4.5	95	50	10	1,000
JS-48	4.8	95	50	10	1,000
JS-50	5.0	95	50	10	1,000
JS-53	5.3	100	55	10	1,100
JS-55	5.5	100	55	10	1,100
JS-60	6.0	100	55	10	1,100
JS-64	6.4	100	55	10	1,100
JS-65	6.5	100	55	10	1,100
JS-70	7.0	120	65	10	1,400
JS-75	7.5	120	65	10	1,400
JS-80	8.0	120	65	10	1,500
JS-85	8.5	120	65	10	1,500

JStype <3本入り>

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (セット)	標準価格 (1セット)
JS3-34	3.4	90	45	5	2,700
JS3-35	3.5	90	45	5	2,700
JS3-43	4.3	95	50	5	2,700

振動用充電ドライバードリルビット 六角軸(対辺6.35mm)【振動専用型】

JSLtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
JSL-34	3.4	150	90	10	1,350
JSL-35	3.5	150	90	10	1,350
JSL-40	4.0	150	90	10	1,450
JSL-43	4.3	150	90	10	1,450
JSL-45	4.5	150	90	10	1,450
JSL-48	4.8	150	90	10	1,450
JSL-50	5.0	150	90	10	1,450
JSL-53	5.3	150	90	10	1,600
JSL-55	5.5	150	90	10	1,600
JSL-60	6.0	150	90	10	1,600
JSL-64	6.4	150	90	10	1,600
JSL-65	6.5	150	90	10	1,600

サイディング用充電ドリルビット 六角軸(対辺6.35mm)【回転専用型】

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
YS-25	2.5	73	20	10	1,000
YS-28	2.8	73	20	10	1,000
YS-30	3.0	73	20	10	960

コンクリート用ドリルビット【振動・回転 兼用型】

Btype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
B-25	2.5	80	40	10	770
B-26	2.6	80	40	10	770
B-28	2.8	80	40	10	770
B-30	3.0	85	45	10	720
B-32	3.2	85	45	10	720
B-34	3.4	85	45	10	720
B-35	3.5	85	45	10	720
B-38	3.8	85	45	10	720
B-40	4.0	85	45	10	720
B-42	4.2	85	45	10	720
B-43	4.3	85	45	10	720
B-45	4.5	85	45	10	720
B-48	4.8	85	45	10	720
B-50	5.0	85	45	10	770
B-52	5.2	100	55	10	770
B-53	5.3	100	55	10	770
B-55	5.5	100	55	10	770
B-60	6.0	100	55	10	810
B-64	6.4	100	55	10	810
B-65	6.5	100	55	10	810
B-70	7.0	125	70	10	980
B-72	7.2	125	70	10	980
B-75	7.5	125	70	10	980
B-80	8.0	125	70	10	1,090
B-85	8.5	125	70	10	1,090
B-90	9.0	150	90	10	1,250
B-95	9.5	150	90	10	1,250
B-100	10.0	150	90	10	1,250
B-105	10.5	150	90	10	1,400
B-110	11.0	150	90	10	1,400
B-115	11.5	150	90	10	1,750
B-120	12.0	150	90	10	1,750
B-125	12.5	150	90	10	1,750
B-127	12.7	150	90	10	1,750
B-130	13.0	160	100	10	1,900
B-135	13.5	160	100	10	1,900
B-140	14.0	160	100	10	1,900
B-143	14.3	160	100	10	2,000
B-145	14.5	160	100	10	2,000
B-150	15.0	160	100	6	2,050
B-160	16.0	180	115	6	2,350
B-165	16.5	180	115	6	2,450
B-170	17.0	180	115	6	2,450
B-175	17.5	180	115	6	2,750
B-180	18.0	180	115	6	2,850
B-190	19.0	180	115	6	3,150

コンクリート用ドリルビットロング【振動・回転 兼用型】

BLtype (全長100mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
BL-3010	3.0	100	55	10	860
BL-3210	3.2	100	55	10	860
BL-3410	3.4	100	55	10	860
BL-3510	3.5	100	55	10	860
BL-3810	3.8	100	55	10	860
BL-4010	4.0	100	55	10	860
BL-4310	4.3	100	55	10	860
BL-4510	4.5	100	55	10	860
BL-4810	4.8	100	55	10	860
BL-5010	5.0	100	55	10	860

コンクリート用ドリルビットロング【振動・回転 兼用型】

BLtype (全長120mm/125mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
BL-3012	3.0	120	70	10	980
BL-3212	3.2	120	70	10	980
BL-3412	3.4	120	70	10	980
BL-3512	3.5	120	70	10	980
BL-3812	3.8	120	70	10	980
BL-4012	4.0	120	70	10	980
BL-4312	4.3	120	70	10	980
BL-4512	4.5	120	70	10	980
BL-4812	4.8	125	70	10	980
BL-5012	5.0	125	70	10	980
BL-5212	5.2	125	70	10	980
BL-5312	5.3	125	70	10	980
BL-5512	5.5	125	70	10	980
BL-6012	6.0	125	70	10	980
BL-6412	6.4	125	70	10	980
BL-6512	6.5	125	70	10	980

BLtype (全長150mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
BL-3015	3.0	150	90	10	1,170
BL-3215	3.2	150	90	10	1,170
BL-3415	3.4	150	90	10	1,170
BL-3515	3.5	150	90	10	1,170
BL-4015	4.0	150	90	10	1,170
BL-4315	4.3	150	90	10	1,170
BL-4515	4.5	150	90	10	1,170
BL-4815	4.8	150	90	10	1,170
BL-5015	5.0	150	90	10	1,170
BL-5215	5.2	150	90	10	1,170
BL-5315	5.3	150	90	10	1,170
BL-5515	5.5	150	90	10	1,170
BL-6015	6.0	150	90	10	1,170
BL-6415	6.4	150	90	10	1,170
BL-6515	6.5	150	90	10	1,170

コンクリート用ドリルビットロング【振動・回転 兼用型】

BLtype (全長240mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
BL-4824	4.8	240	150	6	1,700
BL-5024	5.0	240	150	6	1,700
BL-5524	5.5	240	150	6	1,700
BL-6024	6.0	240	150	6	1,600
BL-6424	6.4	240	150	6	1,600
BL-6524	6.5	240	150	6	1,600
BL-7024	7.0	240	150	6	1,800
BL-7524	7.5	240	150	6	1,800
BL-8024	8.0	240	150	6	1,900
BL-8524	8.5	240	150	6	1,900
BL-9024	9.0	240	150	6	1,900
BL-10024	10.0	240	150	6	1,900
BL-10524	10.5	240	150	6	1,950
BL-11024	11.0	240	150	6	1,950
BL-12024	12.0	240	150	6	1,950
BL-12524	12.5	240	150	6	1,950
BL-12724	12.7	240	150	6	1,950
BL-13024	13.0	240	150	6	1,950
BL-13524	13.5	240	150	6	2,050
BL-14024	14.0	240	150	6	2,050
BL-14324	14.3	240	150	6	2,150
BL-14524	14.5	240	150	6	2,150
BL-15024	15.0	240	150	6	2,350
BL-16024	16.0	240	150	6	2,450
BL-16524	16.5	240	150	6	2,600
BL-17024	17.0	240	150	6	2,600
BL-17524	17.5	240	150	6	2,970
BL-18024	18.0	240	150	6	3,240
BL-19024	19.0	240	150	6	3,450
BL-20024	20.0	240	150	6	4,320
BL-22024	22.0	240	150	6	4,800

BLtype (全長300mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
BL-5030	5.0	300	200	6	2,450
BL-5530	5.5	300	200	6	2,450
BL-6030	6.0	300	200	6	2,300
BL-6430	6.4	300	200	6	2,300
BL-6530	6.5	300	200	6	2,300
BL-7030	7.0	300	200	6	2,350
BL-7530	7.5	300	200	6	2,350
BL-8030	8.0	300	200	6	2,450
BL-8530	8.5	300	200	6	2,450
BL-9030	9.0	300	200	6	2,500
BL-10030	10.0	300	200	6	2,550
BL-10530	10.5	300	200	6	2,650
BL-11030	11.0	300	200	6	2,650
BL-12030	12.0	300	200	6	2,850
BL-12530	12.5	300	200	6	2,850
BL-12730	12.7	300	200	6	2,850
BL-13030	13.0	300	200	6	3,000
BL-14030	14.0	300	200	6	3,000
BL-14530	14.5	300	200	6	3,200
BL-15030	15.0	300	200	6	3,200
BL-16030	16.0	300	200	6	3,300
BL-17030	17.0	300	200	6	3,500
BL-17530	17.5	300	200	6	4,000
BL-18030	18.0	300	200	6	4,600
BL-19030	19.0	300	200	6	4,800
BL-20030	20.0	300	200	6	5,750
BL-22030	22.0	300	200	6	6,250

注入用ドリルビット【振動専用型】

注入用ドリルビット **BL-C**type (全長100mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
BLC-4010	4.0	100	55	10	870
BLC-4510	4.5	100	55	10	870
BLC-5010	5.0	100	55	10	870

注入用ドリルビット **BL-C**type (全長120mm/125mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
BLC-4012	4.0	120	70	10	990
BLC-4512	4.5	120	70	10	990
BLC-5012	5.0	125	70	10	990
BLC-5512	5.5	125	70	10	990
BLC-6012	6.0	125	70	10	990
BLC-6412	6.4	125	70	10	990

注入用ドリルビット **BL-C**type (全長150mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
BLC-4515	4.5	150	90	10	1,170
BLC-5015	5.0	150	90	10	1,170
BLC-5515	5.5	150	90	10	1,170
BLC-6015	6.0	150	90	10	1,170
BLC-6415	6.4	150	90	10	1,170
BLC-6515	6.5	150	90	10	1,170

注入用ローレット軸ドリルビット(ノンスリップ型) **VL-C**type (全長125mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
VLC-5012	5.0	125	70	10	1,070
VLC-5512	5.5	125	70	10	1,070
VLC-6012	6.0	125	70	10	1,070

注入用ローレット軸ドリルビット(ノンスリップ型) **VL-C**type (全長150mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
VLC-3415	3.4	150	90	10	1,470
VLC-3515	3.5	150	90	10	1,470
VLC-4315	4.3	150	90	10	1,470
VLC-4515	4.5	150	90	10	1,470
VLC-5015	5.0	150	90	10	1,470
VLC-5315	5.3	150	90	10	1,470
VLC-5515	5.5	150	90	10	1,470
VLC-6015	6.0	150	90	10	1,470

コンクリート用ローレット軸ドリルビット〈ノンスリップ型〉【振動・回転 兼用型】

Vtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
V-30	3.0	85	45	10	730
V-32	3.2	90	45	10	730
V-34	3.4	90	45	10	730
V-35	3.5	90	45	10	730
V-38	3.8	90	45	10	730
V-40	4.0	90	45	10	730
V-43	4.3	90	45	10	730
V-45	4.5	90	45	10	730
V-48	4.8	90	45	10	730
V-50	5.0	90	45	10	770
V-52	5.2	100	55	10	770
V-53	5.3	100	55	10	770
V-55	5.5	100	55	10	770
V-60	6.0	100	55	10	820
V-64	6.4	100	55	10	820
V-65	6.5	100	55	10	820
V-70	7.0	125	70	10	990
V-72	7.2	125	70	10	990
V-75	7.5	125	70	10	990
V-80	8.0	125	70	10	1,050
V-85	8.5	125	70	10	1,050
V-90	9.0	150	90	10	1,270
V-95	9.5	150	90	10	1,270
V-100	10.0	150	90	10	1,270
V-105	10.5	150	90	10	1,430
V-110	11.0	150	90	10	1,640

VLtype (全長125mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
VL-4812	4.8	125	70	10	1,070
VL-5012	5.0	125	70	10	1,070
VL-5212	5.2	125	70	10	1,070
VL-5312	5.3	125	70	10	1,070
VL-5512	5.5	125	70	10	1,070
VL-6012	6.0	125	70	10	1,070
VL-6412	6.4	125	70	10	1,070
VL-6512	6.5	125	70	10	1,070

VLtype (全長150mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
VL-3215	3.2	150	90	10	1,470
VL-3415	3.4	150	90	10	1,470
VL-3515	3.5	150	90	10	1,470
VL-4015	4.0	150	90	10	1,470
VL-4315	4.3	150	90	10	1,470
VL-4515	4.5	150	90	10	1,470
VL-4815	4.8	150	90	10	1,470
VL-5015	5.0	150	90	10	1,470
VL-5215	5.2	150	90	10	1,470
VL-5315	5.3	150	90	10	1,470
VL-5515	5.5	150	90	10	1,470
VL-6015	6.0	150	90	10	1,470
VL-6415	6.4	150	90	10	1,470
VL-6515	6.5	150	90	10	1,470

磁器タイル・カワラ用ドリルビット【回転専用型】

KGtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
KG-25	2.5	80	40	10	1,070
KG-28	2.8	80	40	10	1,070
KG-30	3.0	85	45	10	910
KG-32	3.2	85	45	10	910
KG-34	3.4	85	45	10	910
KG-35	3.5	85	45	10	910
KG-38	3.8	85	45	10	910
KG-40	4.0	85	45	10	910
KG-43	4.3	85	45	10	910
KG-45	4.5	85	45	10	910
KG-48	4.8	85	45	10	910
KG-50	5.0	85	45	10	960
KG-52	5.2	100	55	10	960
KG-53	5.3	100	55	10	960
KG-55	5.5	100	55	10	960
KG-60	6.0	100	55	10	1,050
KG-64	6.4	100	55	10	1,050
KG-65	6.5	100	55	10	1,050
KG-70	7.0	125	70	10	1,230
KG-72	7.2	125	70	10	1,230
KG-75	7.5	125	70	10	1,230
KG-80	8.0	125	70	10	1,400
KG-85	8.5	125	70	10	1,400
KG-90	9.0	150	90	10	1,700
KG-95	9.5	150	90	10	1,700
KG-100	10.0	150	90	10	1,700
KG-105	10.5	150	90	10	1,850
KG-110	11.0	150	90	10	1,850

回転・注入用ドリルビット【回転専用型】

KGLtype (全長125mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
KGL-4812	4.8	125	70	10	1,270
KGL-5012	5.0	125	70	10	1,270
KGL-5212	5.2	125	70	10	1,270
KGL-5312	5.3	125	70	10	1,270
KGL-5512	5.5	125	70	10	1,270
KGL-6012	6.0	125	70	10	1,270
KGL-6412	6.4	125	70	10	1,270

KGLtype (全長150mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
KGL-3415	3.4	150	90	10	1,530
KGL-3515	3.5	150	90	10	1,530
KGL-4015	4.0	150	90	10	1,530
KGL-4315	4.3	150	90	10	1,530
KGL-4515	4.5	150	90	10	1,530
KGL-4815	4.8	150	90	10	1,530
KGL-5015	5.0	150	90	10	1,530
KGL-5215	5.2	150	90	10	1,530
KGL-5315	5.3	150	90	10	1,530
KGL-5515	5.5	150	90	10	1,530
KGL-6015	6.0	150	90	10	1,530
KGL-6415	6.4	150	90	10	1,530
KGL-6515	6.5	150	90	10	1,530

押し成形版用ドリルビット【回転専用型】

KGOtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
KGO-105	10.5	90	30	10	2,150
KGO-110	11.0	90	30	10	2,150
KGO-130	13.0	100	30	10	2,680

磁器タイル・カワラ用ローレット軸ドリルビット〈ノンスリップ型〉【回転専用型】

V-KGtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
VKG-30	3.0	85	45	10	950
VKG-32	3.2	90	45	10	950
VKG-34	3.4	90	45	10	950
VKG-35	3.5	90	45	10	950
VKG-38	3.8	85	45	10	950
VKG-40	4.0	85	45	10	950
VKG-43	4.3	85	45	10	950
VKG-45	4.5	85	45	10	950
VKG-48	4.8	85	45	10	950
VKG-50	5.0	85	45	10	1,030
VKG-53	5.3	100	55	10	1,030
VKG-55	5.5	100	55	10	1,030
VKG-60	6.0	100	55	10	1,120
VKG-64	6.4	100	55	10	1,120
VKG-65	6.5	100	55	10	1,120
VKG-70	7.0	125	70	10	1,330
VKG-75	7.5	125	70	10	1,330
VKG-80	8.0	125	70	10	1,550
VKG-85	8.5	125	70	10	1,550
VKG-90	9.0	150	90	10	1,880
VKG-100	10.0	150	90	10	2,050
VKG-105	10.5	150	90	10	2,050

カワラ用ローレット軸ドリルビット〈ノンスリップ型〉【振動専用型】

Ftype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
F-30	3.0	85	45	10	830
F-32	3.2	90	45	10	830
F-34	3.4	90	45	10	830
F-35	3.5	90	45	10	830
F-38	3.8	85	45	10	830
F-40	4.0	85	45	10	830
F-43	4.3	85	45	10	830
F-45	4.5	85	45	10	830
F-48	4.8	85	45	10	830
F-50	5.0	85	45	10	890
F-53	5.3	100	55	10	890
F-55	5.5	100	55	10	890
F-60	6.0	100	55	10	940
F-64	6.4	100	55	10	940
F-65	6.5	100	55	10	940
F-70	7.0	125	70	10	1,170
F-75	7.5	125	70	10	1,170
F-80	8.0	125	70	10	1,260
F-85	8.5	125	70	10	1,260
F-90	9.0	150	90	10	1,550
F-100	10.0	150	90	10	1,700
F-105	10.5	150	90	10	1,700

カワラ用ストレートドリルビット【振動専用型】

Rtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
R-30	3.0	85	45	10	720
R-32	3.2	85	45	10	720
R-34	3.4	85	45	10	720
R-35	3.5	85	45	10	720
R-38	3.8	85	45	10	720
R-40	4.0	85	45	10	720
R-43	4.3	85	45	10	720
R-45	4.5	85	45	10	720
R-48	4.8	85	45	10	720
R-50	5.0	85	45	10	770
R-53	5.3	100	55	10	770
R-55	5.5	100	55	10	770
R-60	6.0	100	55	10	820
R-64	6.4	100	55	10	820
R-65	6.5	100	55	10	820
R-70	7.0	125	70	10	1,030
R-75	7.5	125	70	10	1,030
R-80	8.0	125	70	10	1,150
R-85	8.5	125	70	10	1,150
R-90	9.0	150	90	10	1,390
R-100	10.0	150	90	10	1,480
R-105	10.5	150	90	10	1,480

石材・みかげ石用ドリルビット【振動専用型】

石材・みかげ石用ドリルビット SStype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
SS-30	3.0	85	45	10	720
SS-32	3.2	85	45	10	720
SS-34	3.4	85	45	10	720
SS-35	3.5	85	45	10	720
SS-38	3.8	85	45	10	720
SS-40	4.0	85	45	10	720
SS-43	4.3	85	45	10	720
SS-45	4.5	85	45	10	720
SS-48	4.8	85	45	10	720
SS-50	5.0	85	45	10	770
SS-53	5.3	100	55	10	770
SS-55	5.5	100	55	10	770
SS-60	6.0	100	55	10	820
SS-64	6.4	100	55	10	820
SS-65	6.5	100	55	10	820
SS-70	7.0	125	70	10	1,020
SS-75	7.5	125	70	10	1,020
SS-80	8.0	125	70	10	1,100
SS-85	8.5	125	70	10	1,100
SS-90	9.0	150	90	10	1,300
SS-95	9.5	150	90	10	1,300
SS-100	10.0	150	90	10	1,450
SS-105	10.5	150	90	10	1,450

石材・みかげ石用ドリルビット【振動専用型】

石材・みかげ石用ローレット軸ドリルビット〈ノンスリップ型〉SS-Mtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
SSM-30	3.0	85	45	10	830
SSM-32	3.2	90	45	10	830
SSM-34	3.4	90	45	10	830
SSM-35	3.5	90	45	10	830
SSM-38	3.8	90	45	10	830
SSM-40	4.0	90	45	10	830
SSM-43	4.3	90	45	10	830
SSM-45	4.5	90	45	10	830
SSM-48	4.8	85	45	10	830
SSM-50	5.0	85	45	10	890
SSM-53	5.3	100	55	10	890
SSM-55	5.5	100	55	10	890
SSM-60	6.0	100	55	10	940
SSM-64	6.4	100	55	10	940
SSM-65	6.5	100	55	10	940
SSM-70	7.0	125	70	10	1,170
SSM-75	7.5	125	70	10	1,170
SSM-80	8.0	125	70	10	1,260
SSM-85	8.5	125	70	10	1,260
SSM-90	9.0	150	90	10	1,550
SSM-95	9.5	150	90	10	1,550
SSM-100	10.0	150	90	10	1,700
SSM-105	10.5	150	90	10	1,700

石材用三方ドリルビット〈ノンスリップ型〉【振動専用型】

S3type

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
S3-48	4.8	85	45	10	750
S3-50	5.0	85	45	10	750
S3-60	6.0	100	55	10	850
S3-64	6.4	100	55	10	850
S3-80	8.0	125	70	10	1,170
S3-100	10.0	150	90	10	1,500

結晶化ガラス用ドリルビット【振動・回転 兼用型】

結晶化ガラス用ドリルビット Ntype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
N-48	4.8	90	30	10	790

結晶化ガラス用ローレット軸ドリルビット〈ノンスリップ型〉VNtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
VN-48	4.8	85	45	10	880

石材用シルバービット〈ノンスリップ型〉【軽量ハンマードリル用】

SS-Stype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
SSS-48	4.8	85	45	10	930
SSS-50	5.0	85	45	10	980
SSS-60	6.0	100	50	10	1,000
SSS-64	6.4	100	50	10	1,100
SSS-80	8.0	125	70	10	1,320

SDS-max用ドリル【SDS-max軸用】

SDM3type (全長350mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM3125	12.5	350	200	1	6,900
SDM3130	13.0	350	200	1	6,900
SDM3145	14.5	350	200	1	6,900
SDM3150	15.0	350	200	1	6,900
SDM3160	16.0	350	200	1	6,900
SDM3165	16.5	350	200	1	7,600
SDM3170	17.0	350	200	1	7,900
SDM3180	18.0	350	200	1	7,700
SDM3190	19.0	350	200	1	8,300
SDM3200	20.0	350	200	1	8,300
SDM3220	22.0	350	200	1	8,900
SDM3230	23.0	350	200	1	9,200
SDM3240	24.0	350	200	1	9,800
SDM3250	25.0	350	200	1	9,800
SDM3260	26.0	350	200	1	10,500
SDM3280	28.0	350	200	1	12,300
SDM3300	30.0	350	200	1	13,500
SDM3320	32.0	350	200	1	15,500
SDM3340	34.0	350	200	1	18,000
SDM3350	35.0	350	200	1	18,500
※ SDM3360	36.0	350	200	1	21,500
※ SDM3380	38.0	350	200	1	23,500
※ SDM3400	40.0	350	200	1	26,000

※印は特注サイズです。在庫お問い合わせください。

SDM4type (全長450mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM4145	14.5	450	300	1	7,800
SDM4160	16.0	450	300	1	8,000
SDM4165	16.5	450	300	1	8,400
SDM4180	18.0	450	300	1	8,400
SDM4190	19.0	450	300	1	9,000
SDM4200	20.0	450	300	1	9,000
SDM4220	22.0	450	300	1	9,800
SDM4230	23.0	450	300	1	10,000
SDM4240	24.0	450	300	1	10,500
SDM4250	25.0	450	300	1	10,700
SDM4260	26.0	450	300	1	11,500
SDM4280	28.0	450	300	1	13,500
SDM4290	29.0	450	300	1	16,000
SDM4300	30.0	450	300	1	15,500
SDM4320	32.0	450	300	1	17,000
SDM4340	34.0	450	300	1	19,000
SDM4350	35.0	450	300	1	19,800
※ SDM4360	36.0	450	300	1	23,000
※ SDM4380	38.0	450	300	1	25,500
※ SDM4400	40.0	450	300	1	28,000
※ SDM4420	42.0	450	300	1	32,000

※印は特注サイズです。在庫お問い合わせください。

SDS-max用ドリル【SDS-max軸用】

SDM5type (全長530mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM5145	14.5	530	400	1	9,000
SDM5160	16.0	530	400	1	9,400
SDM5165	16.5	530	400	1	9,800
SDM5180	18.0	530	400	1	9,900
SDM5190	19.0	530	400	1	10,300
SDM5200	20.0	530	400	1	10,800
SDM5220	22.0	530	400	1	11,500
SDM5230	23.0	530	400	1	11,500
SDM5240	24.0	530	400	1	12,000
SDM5250	25.0	530	400	1	12,000
SDM5260	26.0	530	400	1	12,800
SDM5280	28.0	530	400	1	15,000
SDM5300	30.0	530	400	1	16,500
SDM5320	32.0	530	400	1	18,000
SDM5340	34.0	530	400	1	21,500
SDM5350	35.0	530	400	1	22,000
※ SDM5360	36.0	530	400	1	24,000
※ SDM5380	38.0	530	400	1	26,000
※ SDM5400	40.0	530	400	1	30,000
※ SDM5420	42.0	530	400	1	33,000

※印は特注サイズです。在庫お問い合わせください。

SDM6type (全長650mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM6145	14.5	650	500	1	18,500
SDM6150	15.0	650	500	1	18,500
SDM6160	16.0	650	500	1	18,500
SDM6165	16.5	650	500	1	18,500
SDM6180	18.0	650	500	1	18,500
SDM6190	19.0	650	500	1	19,500
SDM6200	20.0	650	500	1	20,500
SDM6220	22.0	650	500	1	21,500
SDM6240	24.0	650	500	1	22,600
SDM6250	25.0	650	500	1	22,600
SDM6260	26.0	650	500	1	24,000
SDM6280	28.0	650	500	1	27,500
SDM6300	30.0	650	500	1	29,500
SDM6320	32.0	650	500	1	33,000
SDM6340	34.0	650	500	1	38,000
SDM6350	35.0	650	500	1	39,000
※ SDM6360	36.0	650	500	1	42,000
※ SDM6380	38.0	650	500	1	46,000
※ SDM6400	40.0	650	500	1	53,000
※ SDM6420	42.0	650	500	1	57,000

※印は特注サイズです。在庫お問い合わせください。

SDM8type (全長800mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM8145	14.5	800	650	1	24,000
SDM8160	16.0	800	650	1	24,000
SDM8180	18.0	800	650	1	25,000
SDM8190	19.0	800	650	1	25,000
SDM8200	20.0	800	650	1	26,000
SDM8220	22.0	800	650	1	27,000
SDM8240	24.0	800	650	1	28,600
SDM8250	25.0	800	650	1	28,600
SDM8260	26.0	800	650	1	32,000
SDM8280	28.0	800	650	1	35,000
SDM8300	30.0	800	650	1	38,000
SDM8320	32.0	800	650	1	39,500
SDM8340	34.0	800	650	1	46,800
SDM8350	35.0	800	650	1	47,800
※ SDM8360	36.0	800	650	1	51,000
※ SDM8380	38.0	800	650	1	55,000
※ SDM8400	40.0	800	650	1	62,000
※ SDM8420	42.0	800	650	1	68,000

※印は特注サイズです。在庫お問い合わせください。

SDS-max用ドリル【SDS-max軸用】

SDM9type (全長950mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM9160	16.0	950	800	1	28,000
SDM9180	18.0	950	800	1	29,000
SDM9190	19.0	950	800	1	29,500
SDM9200	20.0	950	800	1	30,000
SDM9220	22.0	950	800	1	32,000
SDM9240	24.0	950	800	1	34,500
SDM9250	25.0	950	800	1	34,500
SDM9260	26.0	950	800	1	38,500
SDM9280	28.0	950	800	1	42,000
SDM9300	30.0	950	800	1	47,000
SDM9320	32.0	950	800	1	49,000
SDM9340	34.0	950	800	1	57,000
SDM9350	35.0	950	800	1	58,000
※ SDM9360	36.0	950	800	1	60,000
※ SDM9380	38.0	950	800	1	66,000
※ SDM9400	40.0	950	800	1	68,000
※ SDM9420	42.0	950	800	1	77,000

※印は特注サイズです。在庫お問い合わせください。

SDM11type (全長1150mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM11160	16.0	1150	1000	1	30,000
SDM11170	17.0	1150	1000	1	32,000
SDM11180	18.0	1150	1000	1	32,000
SDM11190	19.0	1150	1000	1	34,000
SDM11200	20.0	1150	1000	1	34,500
SDM11220	22.0	1150	1000	1	38,000
SDM11240	24.0	1150	1000	1	43,000
SDM11250	25.0	1150	1000	1	43,000
SDM11260	26.0	1150	1000	1	47,000
SDM11280	28.0	1150	1000	1	50,000
SDM11300	30.0	1150	1000	1	55,000
SDM11320	32.0	1150	1000	1	57,000
SDM11340	34.0	1150	1000	1	66,000
SDM11350	35.0	1150	1000	1	67,000
※ SDM11360	36.0	1150	1000	1	70,000
※ SDM11380	38.0	1150	1000	1	75,000
※ SDM11400	40.0	1150	1000	1	90,000
※ SDM11420	42.0	1150	1000	1	95,000

※印は特注サイズです。在庫お問い合わせください。

SDM13type (全長1350mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM13160	16.0	1350	1200	1	48,000
SDM13180	18.0	1350	1200	1	48,000
SDM13190	19.0	1350	1200	1	48,000
SDM13200	20.0	1350	1200	1	48,000
SDM13220	22.0	1350	1200	1	50,000
SDM13240	24.0	1350	1200	1	54,000
SDM13250	25.0	1350	1200	1	54,000
SDM13280	28.0	1350	1200	1	61,000
SDM13300	30.0	1350	1200	1	66,000
SDM13320	32.0	1350	1200	1	70,000
SDM13350	35.0	1350	1200	1	80,000
SDM13360	36.0	1350	1200	1	82,000

SDS-max用ドリル【SDS-max軸用】

SDM15type (全長1500mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM15160	16.0	1500	1350	1	54,000
SDM15180	18.0	1500	1350	1	55,000
SDM15190	19.0	1500	1350	1	55,000
SDM15200	20.0	1500	1350	1	55,000
SDM15220	22.0	1500	1350	1	55,000
SDM15240	24.0	1500	1350	1	58,000
SDM15250	25.0	1500	1350	1	58,000
SDM15280	28.0	1500	1350	1	65,000
SDM15300	30.0	1500	1350	1	73,000
SDM15320	32.0	1500	1350	1	76,000
SDM15330	33.0	1500	1350	1	86,000
SDM15340	34.0	1500	1350	1	86,000
SDM15350	35.0	1500	1350	1	86,000
SDM15360	36.0	1500	1350	1	87,000

SDM17type (全長1700mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM17160	16.0	1700	1550	1	60,000
SDM17180	18.0	1700	1550	1	60,000
SDM17190	19.0	1700	1550	1	60,000
SDM17200	20.0	1700	1550	1	60,000
SDM17220	22.0	1700	1550	1	62,000
SDM17240	24.0	1700	1550	1	65,000
SDM17250	25.0	1700	1550	1	65,000
SDM17280	28.0	1700	1550	1	75,000
SDM17300	30.0	1700	1550	1	85,000
SDM17320	32.0	1700	1550	1	90,000
SDM17350	35.0	1700	1550	1	100,000
SDM17360	36.0	1700	1550	1	103,000

SDM20type (全長2000mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SDM20160	16.0	2000	1850	1	74,000
SDM20180	18.0	2000	1850	1	74,000
SDM20190	19.0	2000	1850	1	74,000
SDM20200	20.0	2000	1850	1	76,000
SDM20220	22.0	2000	1850	1	77,000
SDM20240	24.0	2000	1850	1	80,000
SDM20250	25.0	2000	1850	1	80,000
SDM20280	28.0	2000	1850	1	90,000
SDM20300	30.0	2000	1850	1	97,000
SDM20320	32.0	2000	1850	1	105,000

SDMAPアダプター【SDS-max軸用】

ロングアダプター SDMAPtype (テーバ軸用)

品番	全長 L(mm)	入数 (本)	標準価格 (1本)	コッター有無
SDMAP-200	200	1	2,800	無
SDMAP-500	500	1	12,000	有
SDMAP-1000	1000	1	20,000	有
SDMAP-1250	1250	1	28,000	有
SDMAP-1500	1500	1	29,000	有
SDMAP-1750	1750	1	37,000	有
SDMAP-2000	2000	1	40,000	有

六角軸ドリルビット【ハンマードリル用】

HEX 280type (全長280mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
HEX-100	10.0	280	160	5	3,900
HEX-105	10.5	280	160	5	3,900
HEX-110	11.0	280	160	5	3,900
HEX-120	12.0	280	160	5	3,900
HEX-125	12.5	280	160	5	3,900
HEX-127	12.7	280	160	5	3,900
HEX-130	13.0	280	160	5	3,900
HEX-135	13.5	280	160	5	3,900
HEX-140	14.0	280	160	5	3,900
HEX-143	14.3	280	160	5	3,900
HEX-145	14.5	280	160	5	3,900
HEX-147	14.7	280	160	5	4,300
HEX-150	15.0	280	160	5	4,200
HEX-160	16.0	280	160	5	4,200
HEX-165	16.5	280	160	5	4,400
HEX-167	16.7	280	160	5	4,600
HEX-170	17.0	280	160	5	4,500
HEX-175	17.5	280	160	5	4,500
HEX-180	18.0	280	160	5	4,600
HEX-185	18.5	280	160	5	4,800
HEX-190	19.0	280	160	5	4,600
HEX-200	20.0	280	160	5	5,100
HEX-205	20.5	280	160	5	5,400
HEX-210	21.0	280	160	5	5,400
HEX-215	21.5	280	160	5	5,400
HEX-220	22.0	280	160	5	5,200
HEX-225	22.5	280	160	5	5,600
HEX-230	23.0	280	160	5	5,600
HEX-240	24.0	280	160	5	5,800
HEX-250	25.0	280	160	5	5,800
HEX-260	26.0	280	160	5	6,700
HEX-265	26.5	280	160	5	7,300
HEX-270	27.0	280	160	5	7,300
HEX-280	28.0	280	160	5	7,300
HEX-285	28.5	280	160	5	8,200
HEX-290	29.0	280	160	1	8,000
HEX-300	30.0	280	160	1	8,000
HEX-320	32.0	280	160	1	9,800
HEX-340	34.0	280	160	1	11,500
HEX-350	35.0	280	160	1	12,000
HEX-360	36.0	280	160	1	14,000
HEX-380	38.0	280	160	1	13,500
HEX-400	40.0	280	160	1	14,000
HEX-420	42.0	280	160	1	15,500
※ HEX-450	45.0	280	160	1	40,000
※ HEX-500	50.0	280	160	1	50,000

※印は特注サイズです。在庫お問い合わせください。

六角軸ドリルビット【ハンマードリル用】

HEXL 420type (全長420mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXL4-145	14.5	420	300	1	5,600
HEXL4-160	16.0	420	300	1	5,600
HEXL4-165	16.5	420	300	1	5,800
HEXL4-170	17.0	420	300	1	5,800
HEXL4-180	18.0	420	300	1	6,100
HEXL4-190	19.0	420	300	1	6,300
HEXL4-200	20.0	420	300	1	6,600
HEXL4-220	22.0	420	300	1	7,000
HEXL4-230	23.0	420	300	1	7,400
HEXL4-240	24.0	420	300	1	7,400
HEXL4-250	25.0	420	300	1	7,400
HEXL4-260	26.0	420	300	1	8,200
HEXL4-265	26.5	420	300	1	9,100
HEXL4-280	28.0	420	300	1	9,400
HEXL4-300	30.0	420	300	1	10,000
HEXL4-320	32.0	420	300	1	11,000
HEXL4-330	33.0	420	300	1	13,000
HEXL4-340	34.0	420	300	1	13,000
HEXL4-350	35.0	420	300	1	13,000
HEXL4-380	38.0	420	300	1	16,000

HEXL 505type (全長505mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXL5-100	10.0	505	380	1	6,200
HEXL5-105	10.5	505	380	1	6,200
HEXL5-110	11.0	505	380	1	6,200
HEXL5-120	12.0	505	380	1	6,200
HEXL5-125	12.5	505	380	1	6,200
HEXL5-127	12.7	505	380	1	6,200
HEXL5-130	13.0	505	380	1	6,200
HEXL5-135	13.5	505	380	1	6,200
HEXL5-140	14.0	505	380	1	6,200
HEXL5-145	14.5	505	380	1	6,200
HEXL5-150	15.0	505	380	1	6,200
HEXL5-160	16.0	505	380	1	6,400
HEXL5-165	16.5	505	380	1	6,400
HEXL5-170	17.0	505	380	1	6,400
HEXL5-175	17.5	505	380	1	6,400
HEXL5-180	18.0	505	380	1	6,800
HEXL5-190	19.0	505	380	1	6,900
HEXL5-200	20.0	505	380	1	7,200
HEXL5-210	21.0	505	380	1	7,800
HEXL5-220	22.0	505	380	1	7,600
HEXL5-230	23.0	505	380	1	7,700
HEXL5-240	24.0	505	380	1	8,100
HEXL5-250	25.0	505	380	1	8,100
HEXL5-260	26.0	505	380	1	8,800
HEXL5-280	28.0	505	380	1	9,800
HEXL5-300	30.0	505	380	1	10,800
HEXL5-320	32.0	505	380	1	12,000
HEXL5-340	34.0	505	380	1	14,000
HEXL5-350	35.0	505	380	1	14,000
HEXL5-360	36.0	505	380	1	15,000
HEXL5-380	38.0	505	380	1	17,000
HEXL5-400	40.0	505	380	1	18,000
HEXL5-420	42.0	505	380	1	21,000
※ HELX5-450	45.0	505	380	1	37,000
※ HELX5-460	46.0	505	380	1	37,000
※ HELX5-500	50.0	505	380	1	55,000

※印は特注サイズです。在庫お問い合わせください。

六角軸ドリルビット〈超ロング〉【ハンマードリル用】

HEXLL 650type (全長650mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXLL6-105	10.5	650	500	1	14,500
HEXLL6-120	12.0	650	500	1	14,000
HEXLL6-125	12.5	650	500	1	14,000
HEXLL6-130	13.0	650	500	1	14,000
HEXLL6-145	14.5	650	500	1	14,500
HEXLL6-150	15.0	650	500	1	14,500
HEXLL6-160	16.0	650	500	1	14,500
HEXLL6-165	16.5	650	500	1	14,800
HEXLL6-170	17.0	650	500	1	14,800
HEXLL6-175	17.5	650	500	1	14,800
HEXLL6-180	18.0	650	500	1	14,800
HEXLL6-190	19.0	650	500	1	14,800
HEXLL6-200	20.0	650	500	1	15,500
HEXLL6-220	22.0	650	500	1	16,000
HEXLL6-230	23.0	650	500	1	17,000
HEXLL6-240	24.0	650	500	1	17,000
HEXLL6-250	25.0	650	500	1	17,000
HEXLL6-260	26.0	650	500	1	19,000
HEXLL6-265	26.5	650	500	1	21,000
HEXLL6-280	28.0	650	500	1	21,000
HEXLL6-300	30.0	650	500	1	23,000
HEXLL6-320	32.0	650	500	1	24,000
HEXLL6-340	34.0	650	500	1	28,000
HEXLL6-350	35.0	650	500	1	28,000
HEXLL6-380	38.0	650	500	1	32,500
HEXLL6-400	40.0	650	500	1	40,000
HEXLL6-420	42.0	650	500	1	45,000
※ HEXLL6-450	45.0	650	500	1	56,000
※ HEXLL6-500	50.0	650	500	1	66,000

※印は特注サイズです。在庫お問い合わせください。

HEXLL 800type (全長800mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXLL8-120	12.0	800	650	1	17,500
HEXLL8-125	12.5	800	650	1	17,500
HEXLL8-130	13.0	800	650	1	17,500
HEXLL8-140	14.0	800	650	1	17,000
HEXLL8-145	14.5	800	650	1	16,500
HEXLL8-160	16.0	800	650	1	16,500
HEXLL8-170	17.0	800	650	1	16,800
HEXLL8-175	17.5	800	650	1	16,800
HEXLL8-180	18.0	800	650	1	16,800
HEXLL8-190	19.0	800	650	1	17,000
HEXLL8-200	20.0	800	650	1	18,000
HEXLL8-220	22.0	800	650	1	19,500
HEXLL8-230	23.0	800	650	1	21,000
HEXLL8-240	24.0	800	650	1	21,500
HEXLL8-250	25.0	800	650	1	21,500
HEXLL8-260	26.0	800	650	1	23,000
HEXLL8-280	28.0	800	650	1	25,000
HEXLL8-300	30.0	800	650	1	27,000
HEXLL8-320	32.0	800	650	1	28,000
HEXLL8-340	34.0	800	650	1	33,000
HEXLL8-350	35.0	800	650	1	33,000
HEXLL8-360	36.0	800	650	1	35,000
HEXLL8-380	38.0	800	650	1	37,500
HEXLL8-400	40.0	800	650	1	46,000
HEXLL8-420	42.0	800	650	1	50,000
※ HEXLL8-450	45.0	800	650	1	67,000
※ HEXLL8-460	46.0	800	650	1	68,000
※ HEXLL8-500	50.0	800	650	1	88,000

※印は特注サイズです。在庫お問い合わせください。

六角軸ドリルビット〈超ロング〉【ハンマードリル用】

HEXLL 1000type (全長1000mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXLL10-120	12.0	1000	850	1	21,500
HEXLL10-125	12.5	1000	850	1	21,500
HEXLL10-130	13.0	1000	850	1	21,500
HEXLL10-145	14.5	1000	850	1	21,500
HEXLL10-160	16.0	1000	850	1	21,500
HEXLL10-170	17.0	1000	850	1	22,000
HEXLL10-175	17.5	1000	850	1	22,000
HEXLL10-180	18.0	1000	850	1	22,000
HEXLL10-190	19.0	1000	850	1	22,000
HEXLL10-200	20.0	1000	850	1	23,000
HEXLL10-220	22.0	1000	850	1	24,000
HEXLL10-230	23.0	1000	850	1	27,000
HEXLL10-240	24.0	1000	850	1	27,000
HEXLL10-250	25.0	1000	850	1	27,000
HEXLL10-260	26.0	1000	850	1	30,000
HEXLL10-280	28.0	1000	850	1	32,000
HEXLL10-300	30.0	1000	850	1	36,000
HEXLL10-320	32.0	1000	850	1	38,000
HEXLL10-340	34.0	1000	850	1	43,000
HEXLL10-350	35.0	1000	850	1	43,000
HEXLL10-360	36.0	1000	850	1	45,000
HEXLL10-380	38.0	1000	850	1	47,500
HEXLL10-400	40.0	1000	850	1	58,000
※ HEXLL10-420	42.0	1000	850	1	65,000
※ HEXLL10-450	45.0	1000	850	1	82,000
※ HEXLL10-500	50.0	1000	850	1	100,000

※印は特注サイズです。在庫お問い合わせください。

HEXLL 1200type (全長1200mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXLL12-145	14.5	1200	1050	1	26,500
HEXLL12-150	15.0	1200	1050	1	26,500
HEXLL12-160	16.0	1200	1050	1	26,500
HEXLL12-170	17.0	1200	1050	1	27,000
HEXLL12-180	18.0	1200	1050	1	27,000
HEXLL12-190	19.0	1200	1050	1	27,000
HEXLL12-200	20.0	1200	1050	1	28,500
HEXLL12-220	22.0	1200	1050	1	30,000
HEXLL12-230	23.0	1200	1050	1	32,000
HEXLL12-240	24.0	1200	1050	1	33,000
HEXLL12-250	25.0	1200	1050	1	33,000
HEXLL12-260	26.0	1200	1050	1	36,000
HEXLL12-280	28.0	1200	1050	1	38,000
HEXLL12-300	30.0	1200	1050	1	43,000
HEXLL12-320	32.0	1200	1050	1	44,000
HEXLL12-340	34.0	1200	1050	1	50,000
HEXLL12-350	35.0	1200	1050	1	50,000
HEXLL12-380	38.0	1200	1050	1	57,000
※ HEXLL12-400	40.0	1200	1050	1	68,000
※ HEXLL12-420	42.0	1200	1050	1	80,000
※ HEXLL12-500	50.0	1200	1050	1	145,000

※印は特注サイズです。在庫お問い合わせください。

六角軸ドリルビット〈超ロング〉【ハンマードリル用】

HEXLL 1500type (全長1500mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXLL15-145	14.5	1500	1350	1	36,000
HEXLL15-160	16.0	1500	1350	1	35,000
HEXLL15-180	18.0	1500	1350	1	35,000
HEXLL15-190	19.0	1500	1350	1	35,000
HEXLL15-200	20.0	1500	1350	1	35,000
HEXLL15-220	22.0	1500	1350	1	36,000
HEXLL15-240	24.0	1500	1350	1	38,000
HEXLL15-250	25.0	1500	1350	1	38,000
HEXLL15-260	26.0	1500	1350	1	43,000
HEXLL15-280	28.0	1500	1350	1	48,000
※ HEXLL15-300	30.0	1500	1350	1	60,000
※ HEXLL15-320	32.0	1500	1350	1	65,000

※印は特注サイズです。在庫お問い合わせください。

HEXLL 1700type (全長1700mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXLL17-180	18.0	1700	1550	1	41,000
HEXLL17-190	19.0	1700	1550	1	41,000
HEXLL17-200	20.0	1700	1550	1	42,000
HEXLL17-220	22.0	1700	1550	1	43,000
HEXLL17-240	24.0	1700	1550	1	43,000
HEXLL17-250	25.0	1700	1550	1	43,000
HEXLL17-260	26.0	1700	1550	1	53,000
HEXLL17-280	28.0	1700	1550	1	60,000
※ HEXLL17-300	30.0	1700	1550	1	65,000

※印は特注サイズです。在庫お問い合わせください。

HEXLL 2000type (全長2000mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXLL20-145	14.5	2000	1850	1	57,000
HEXLL20-160	16.0	2000	1850	1	57,000
HEXLL20-180	18.0	2000	1850	1	54,000
HEXLL20-190	19.0	2000	1850	1	54,000
HEXLL20-220	22.0	2000	1850	1	59,000
HEXLL20-250	25.0	2000	1850	1	59,000
※ HEXLL20-280	28.0	2000	1850	1	77,000
※ HEXLL20-320	32.0	2000	1850	1	110,000

※印は特注サイズです。在庫お問い合わせください。

六角軸ドリルビット(樹脂系アンカー用)【ハンマードリル用】

MEXtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
MEX-145	14.5	320	200	1	5,000
MEX-160	16.0	320	200	1	5,000
MEX-180	18.0	320	200	1	5,500
MEX-190	19.0	320	200	1	5,600
MEX-200	20.0	320	200	1	5,800
MEX-220	22.0	320	220	1	6,300
MEX-240	24.0	340	220	1	6,900
MEX-250	25.0	340	220	1	6,900

六角軸クロスドリルビット【ハンマードリル用】

HEXC 280type (全長280mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXC-100	10.0	280	160	1	5,500
HEXC-105	10.5	280	160	1	5,500
HEXC-120	12.0	280	160	1	5,500
HEXC-125	12.5	280	160	1	5,500
HEXC-127	12.7	280	160	1	5,500
HEXC-130	13.0	280	160	1	5,500
HEXC-135	13.5	280	160	1	5,700
HEXC-140	14.0	280	160	1	5,700
HEXC-145	14.5	280	160	1	5,700
HEXC-150	15.0	280	160	1	5,700
HEXC-160	16.0	280	160	1	5,900
HEXC-165	16.5	280	160	1	6,300
HEXC-170	17.0	280	160	1	6,300
HEXC-180	18.0	280	160	1	6,700
HEXC-190	19.0	280	160	1	6,900
HEXC-200	20.0	280	160	1	7,200
HEXC-210	21.0	280	160	1	7,800
HEXC-220	22.0	280	160	1	8,000
HEXC-225	22.5	280	160	1	8,200
HEXC-230	23.0	280	160	1	8,200
HEXC-240	24.0	280	160	1	8,700
HEXC-250	25.0	280	160	1	8,700
HEXC-260	26.0	280	160	1	9,800
HEXC-265	26.5	280	160	1	10,800
HEXC-280	28.0	280	160	1	11,000
HEXC-300	30.0	280	160	1	12,500
HEXC-320	32.0	280	160	1	14,000
HEXC-350	35.0	280	160	1	17,000
HEXC-360	36.0	280	160	1	18,000
HEXC-380	38.0	280	160	1	20,000
HEXC-400	40.0	280	160	1	23,000
HEXC-420	42.0	280	160	1	25,000
※ HEXC-500	50.0	280	160	1	66,000

※印は特注サイズです。在庫お問い合わせください。

HEXC 420type (全長420mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXC4-140	14.0	420	300	1	7,600
HEXC4-145	14.5	420	300	1	7,600
HEXC4-160	16.0	420	300	1	7,600
HEXC4-165	16.5	420	300	1	7,600
HEXC4-170	17.0	420	300	1	8,000
HEXC4-180	18.0	420	300	1	8,300
HEXC4-190	19.0	420	300	1	8,500
HEXC4-200	20.0	420	300	1	8,700
HEXC4-220	22.0	420	300	1	9,400
HEXC4-225	22.5	420	300	1	9,600
HEXC4-230	23.0	420	300	1	9,600
HEXC4-240	24.0	420	300	1	10,500
HEXC4-250	25.0	420	300	1	10,500
HEXC4-260	26.0	420	300	1	11,000
HEXC4-265	26.5	420	300	1	12,500
HEXC4-270	27.0	420	300	1	13,000
HEXC4-280	28.0	420	300	1	13,000
HEXC4-300	30.0	420	300	1	14,000
HEXC4-320	32.0	420	300	1	16,000
HEXC4-330	33.0	420	300	1	18,500
HEXC4-340	34.0	420	300	1	18,500
HEXC4-350	35.0	420	300	1	18,500
HEXC4-360	36.0	420	300	1	19,500
HEXC4-380	38.0	420	300	1	21,000

六角軸クロスドリルビット【ハンマードリル用】

HEXC 505type (全長505mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXC5-125	12.5	505	380	1	8,400
HEXC5-145	14.5	505	380	1	8,400
HEXC5-150	15.0	505	380	1	8,400
HEXC5-160	16.0	505	380	1	8,400
HEXC5-165	16.5	505	380	1	8,400
HEXC5-170	17.0	505	380	1	8,800
HEXC5-180	18.0	505	380	1	8,800
HEXC5-190	19.0	505	380	1	9,000
HEXC5-200	20.0	505	380	1	9,400
HEXC5-220	22.0	505	380	1	10,000
HEXC5-225	22.5	505	380	1	10,500
HEXC5-230	23.0	505	380	1	10,500
HEXC5-240	24.0	505	380	1	10,700
HEXC5-250	25.0	505	380	1	10,700
HEXC5-260	26.0	505	380	1	11,700
HEXC5-265	26.5	505	380	1	13,500
HEXC5-280	28.0	505	380	1	13,500
HEXC5-300	30.0	505	380	1	14,500
HEXC5-320	32.0	505	380	1	16,500
HEXC5-340	34.0	505	380	1	20,000
HEXC5-350	35.0	505	380	1	21,000
HEXC5-360	36.0	505	380	1	21,500
HEXC5-380	38.0	505	380	1	24,000
HEXC5-400	40.0	505	380	1	27,000
HEXC5-420	42.0	505	380	1	31,000
※ HEXC5-440	44.0	505	380	1	52,000
※ HEXC5-450	45.0	505	380	1	52,000
※ HEXC5-500	50.0	505	380	1	70,000

※印は特注サイズです。在庫お問い合わせください。

六角軸クロスドリルビット〈超ロング〉【ハンマードリル用】

HEXC 650type (全長650mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXC6-140	14.0	650	500	1	18,000
HEXC6-145	14.5	650	500	1	18,000
HEXC6-160	16.0	650	500	1	18,000
HEXC6-165	16.5	650	500	1	19,000
HEXC6-170	17.0	650	500	1	19,000
HEXC6-180	18.0	650	500	1	19,000
HEXC6-190	19.0	650	500	1	20,000
HEXC6-200	20.0	650	500	1	20,000
HEXC6-220	22.0	650	500	1	21,000
HEXC6-230	23.0	650	500	1	22,000
HEXC6-240	24.0	650	500	1	24,000
HEXC6-250	25.0	650	500	1	24,000
HEXC6-260	26.0	650	500	1	27,000
HEXC6-280	28.0	650	500	1	27,000
HEXC6-300	30.0	650	500	1	29,000
HEXC6-320	32.0	650	500	1	32,000
HEXC6-340	34.0	650	500	1	36,000
HEXC6-350	35.0	650	500	1	38,000
HEXC6-360	36.0	650	500	1	43,000
HEXC6-380	38.0	650	500	1	44,000
HEXC6-400	40.0	650	500	1	53,000
HEXC6-420	42.0	650	500	1	58,000

六角軸クロスドリルビット〈超ロング〉【ハンマードリル用】

HEXC 800type (全長800mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXC8-145	14.5	800	650	1	23,000
HEXC8-160	16.0	800	650	1	23,000
HEXC8-180	18.0	800	650	1	23,500
HEXC8-190	19.0	800	650	1	24,000
HEXC8-200	20.0	800	650	1	25,000
HEXC8-220	22.0	800	650	1	25,500
HEXC8-240	24.0	800	650	1	27,000
HEXC8-250	25.0	800	650	1	27,000
HEXC8-260	26.0	800	650	1	32,000
HEXC8-280	28.0	800	650	1	33,500
HEXC8-300	30.0	800	650	1	37,000
HEXC8-320	32.0	800	650	1	38,000
HEXC8-340	34.0	800	650	1	48,000
HEXC8-350	35.0	800	650	1	48,000
HEXC8-360	36.0	800	650	1	50,000
HEXC8-380	38.0	800	650	1	53,000
HEXC8-400	40.0	800	650	1	64,000
HEXC8-420	42.0	800	650	1	72,000
※ HEXC8-440	44.0	800	650	1	88,000

※印は特注サイズです。在庫お問い合わせください。

HEXC 1000type (全長1000mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXC10-145	14.5	1000	850	1	28,000
HEXC10-160	16.0	1000	850	1	28,000
HEXC10-165	16.5	1000	850	1	28,000
HEXC10-170	17.0	1000	850	1	28,000
HEXC10-180	18.0	1000	850	1	29,000
HEXC10-190	19.0	1000	850	1	29,000
HEXC10-200	20.0	1000	850	1	30,500
HEXC10-220	22.0	1000	850	1	32,000
HEXC10-240	24.0	1000	850	1	34,000
HEXC10-250	25.0	1000	850	1	34,000
HEXC10-260	26.0	1000	850	1	38,000
HEXC10-280	28.0	1000	850	1	41,000
HEXC10-300	30.0	1000	850	1	45,000
HEXC10-320	32.0	1000	850	1	50,000
HEXC10-340	34.0	1000	850	1	57,000
HEXC10-350	35.0	1000	850	1	57,000
HEXC10-380	38.0	1000	850	1	63,000
HEXC10-400	40.0	1000	850	1	73,000
※ HEXC10-420	42.0	1000	850	1	85,000

※印は特注サイズです。在庫お問い合わせください。

HEXC 1200type (全長1200mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXC12-160	16.0	1200	1050	1	36,000
HEXC12-165	16.5	1200	1050	1	36,000
HEXC12-170	17.0	1200	1050	1	36,000
HEXC12-180	18.0	1200	1050	1	36,000
HEXC12-190	19.0	1200	1050	1	36,000
HEXC12-200	20.0	1200	1050	1	37,000
HEXC12-220	22.0	1200	1050	1	37,000
HEXC12-240	24.0	1200	1050	1	43,000
HEXC12-250	25.0	1200	1050	1	43,000
HEXC12-280	28.0	1200	1050	1	50,000
HEXC12-300	30.0	1200	1050	1	57,000
HEXC12-320	32.0	1200	1050	1	60,000
HEXC12-350	35.0	1200	1050	1	68,000
HEXC12-380	38.0	1200	1050	1	75,000

六角軸クロスドリルビット〈超ロング〉【ハンマードリル用】

HEXC 1500type (全長1500mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXC15-145	14.5	1500	1350	1	48,000
HEXC15-160	16.0	1500	1350	1	48,000
HEXC15-170	17.0	1500	1350	1	48,000
HEXC15-180	18.0	1500	1350	1	48,000
HEXC15-190	19.0	1500	1350	1	48,000
HEXC15-200	20.0	1500	1350	1	49,000
HEXC15-220	22.0	1500	1350	1	49,000
HEXC15-240	24.0	1500	1350	1	50,000
HEXC15-250	25.0	1500	1350	1	50,000
HEXC15-280	28.0	1500	1350	1	60,000
※ HEXC15-300	30.0	1500	1350	1	67,000
※ HEXC15-320	32.0	1500	1350	1	70,000
※ HEXC15-420	42.0	1500	1350	1	115,000

※印は特注サイズです。在庫お問い合わせください。

HEXC 1700type (全長1700mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXC17-180	18.0	1700	1550	1	58,000
HEXC17-200	20.0	1700	1550	1	60,000
HEXC17-220	22.0	1700	1550	1	60,000
HEXC17-240	24.0	1700	1550	1	62,000
HEXC17-250	25.0	1700	1550	1	62,000
HEXC17-280	28.0	1700	1550	1	74,000
※ HEXC17-300	30.0	1700	1550	1	78,000

※印は特注サイズです。在庫お問い合わせください。

HEXC 2000type (全長2000mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
HEXC20-160	16.0	2000	1850	1	65,000
HEXC20-180	18.0	2000	1850	1	65,000
HEXC20-190	19.0	2000	1850	1	67,000
HEXC20-200	20.0	2000	1850	1	67,000
HEXC20-220	22.0	2000	1850	1	69,000
HEXC20-250	25.0	2000	1850	1	71,000
※ HEXC20-280	28.0	2000	1850	1	83,000

※印は特注サイズです。在庫お問い合わせください。

六角軸クロスドリルビット(樹脂系アンカー用)【ハンマードリル用】

MEXCtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
MEXC-145	14.5	320	200	1	6,100
MEXC-160	16.0	320	200	1	6,300
MEXC-180	18.0	320	200	1	7,000
MEXC-190	19.0	320	200	1	7,300
MEXC-200	20.0	320	200	1	7,600
MEXC-220	22.0	320	220	1	8,300
MEXC-240	24.0	340	220	1	9,000
MEXC-250	25.0	340	220	1	9,300

ポイントハンマー(SDS軸ドリル)【軽量ハンマードリル用】

PHtype (全長110mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
PH-32	3.2	110	50	10	1,300
PH-34	3.4	110	50	10	1,300
PH-35	3.5	110	50	10	1,300
PH-38	3.8	110	50	10	1,300
PH-40	4.0	110	50	10	1,300
PH-43	4.3	110	50	10	1,300
PH-45	4.5	110	50	10	1,300
PH-48	4.8	110	50	10	1,300
PH-50	5.0	110	50	10	1,300
PH-53	5.3	110	50	10	1,300
PH-55	5.5	110	50	10	1,300
PH-60	6.0	110	50	10	1,300
PH-64	6.4	110	50	10	1,300
PH-80	8.0	110	50	10	1,450
PH-85	8.5	110	50	10	1,650
PH-105	10.5	110	50	10	1,750

PHtype (全長110mm)〈3本入り〉

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (セット)	標準価格 (1セット)
3PH-34	3.4	110	50	5	3,700
3PH-35	3.5	110	50	5	3,700
3PH-43	4.3	110	50	5	3,700
3PH-50	5.0	110	50	5	3,700
3PH-60	6.0	110	50	5	3,700

PHtype (全長110mm)〈5本入り〉

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (セット)	標準価格 (1セット)
5PH-34	3.4	110	50	5	5,800
5PH-35	3.5	110	50	5	5,800
5PH-43	4.3	110	50	5	5,800
5PH-50	5.0	110	50	5	5,800
5PH-60	6.0	110	50	5	5,800

ポイントハンマー(SDS軸ドリル)【軽量ハンマードリル用】

PHLtype (全長160mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
PHL-34	3.4	160	100	10	1,400
PHL-35	3.5	160	100	10	1,400
PHL-43	4.3	160	100	10	1,400
PHL-45	4.5	160	100	10	1,400
PHL-48	4.8	160	100	10	1,400
PHL-50	5.0	160	100	10	1,400
PHL-53	5.3	160	100	10	1,400
PHL-55	5.5	160	100	10	1,400
PHL-60	6.0	160	100	10	1,400
PHL-64	6.4	160	100	10	1,400
PHL-65	6.5	160	100	10	1,400
PHL-70	7.0	160	100	10	1,500
PHL-75	7.5	160	100	10	1,500
PHL-80	8.0	160	100	10	1,500
PHL-85	8.5	160	100	10	1,700
PHL-90	9.0	160	100	10	1,700
PHL-100	10.0	160	100	10	1,800
PHL-105	10.5	160	100	10	1,800
PHL-110	11.0	160	100	10	1,800
PHL-120	12.0	160	100	10	1,900
PHL-125	12.5	160	100	10	1,900
PHL-127	12.7	160	100	10	2,000
PHL-130	13.0	160	100	10	2,000
PHL-135	13.5	160	100	10	2,300
PHL-140	14.0	160	100	10	2,300
PHL-143	14.3	160	100	10	2,400
PHL-145	14.5	160	100	10	2,700
PHL-150	15.0	160	100	5	2,900
PHL-160	16.0	160	100	5	3,200
PHL-165	16.5	160	100	5	3,200
PHL-170	17.0	160	100	5	3,500
PHL-175	17.5	160	100	5	3,500
PHL-180	18.0	160	100	5	3,700

PHL2type (全長215mm/250mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
PHL2-120	12.0	215	150	5	3,200
PHL2-125	12.5	215	150	5	3,200
PHL2-127	12.7	215	150	5	3,300
PHL2-130	13.0	215	150	5	3,300
PHL2-145	14.5	215	150	5	3,600
PHL2-150	15.0	215	150	5	3,700
PHL2-160	16.0	215	150	5	3,800
PHL2-165	16.5	215	150	5	3,900
PHL2-180	18.0	215	150	5	4,500
PHL2-190	19.0	215	150	5	4,850
PHL2-200	20.0	215	150	5	5,200
PHL2-215	21.5	250	180	5	6,700
PHL2-220	22.0	250	180	5	6,700
PHL2-225	22.5	250	180	5	7,000
PHL2-230	23.0	250	180	5	7,000
PHL2-240	24.0	250	180	5	7,600
PHL2-250	25.0	250	180	5	7,600

ポイントハンマー(SDS軸ドリル)【軽量ハンマードリル用】

PHL3type (全長300mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHL3-120	12.0	300	230	1	4,000
PHL3-125	12.5	300	230	1	4,000
PHL3-127	12.7	300	230	1	4,100
PHL3-130	13.0	300	230	1	4,100
PHL3-135	13.5	300	230	1	4,500
PHL3-140	14.0	300	230	1	4,500
PHL3-145	14.5	300	230	1	4,700
PHL3-150	15.0	300	230	1	4,800
PHL3-160	16.0	300	230	1	5,200
PHL3-165	16.5	300	230	1	5,500
PHL3-170	17.0	300	230	1	5,700
PHL3-175	17.5	300	230	1	5,800
PHL3-180	18.0	300	230	1	6,000
PHL3-185	18.5	300	230	1	6,500
PHL3-190	19.0	300	230	1	6,500
PHL3-200	20.0	300	230	1	6,800
PHL3-220	22.0	300	230	1	8,000
PHL3-230	23.0	300	230	1	8,300

PHL4type (全長400mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHL4-120	12.0	400	320	1	5,000
PHL4-125	12.5	400	320	1	5,000
PHL4-127	12.7	400	320	1	5,200
PHL4-130	13.0	400	320	1	5,300
PHL4-135	13.5	400	320	1	5,400
PHL4-140	14.0	400	320	1	5,400
PHL4-145	14.5	400	320	1	5,600
PHL4-150	15.0	400	320	1	5,800
PHL4-160	16.0	400	320	1	6,000
PHL4-165	16.5	400	320	1	6,200
PHL4-175	17.5	400	320	1	6,800
PHL4-180	18.0	400	320	1	7,000
PHL4-190	19.0	400	320	1	7,500
PHL4-200	20.0	400	320	1	8,000
PHL4-230	23.0	400	320	1	9,200
PHL4-240	24.0	400	320	1	9,500
PHL4-250	25.0	400	320	1	9,500
PHL4-260	26.0	400	320	1	10,300
PHL4-280	28.0	400	320	1	11,500
PHL4-300	30.0	400	320	1	13,500

PHL6type (全長600mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHL6-120	12.0	600	500	1	8,000
PHL6-125	12.5	600	500	1	8,000
PHL6-130	13.0	600	500	1	8,200
PHL6-135	13.5	600	500	1	9,600
PHL6-140	14.0	600	500	1	9,600
PHL6-145	14.5	600	500	1	9,400
PHL6-160	16.0	600	500	1	9,500
PHL6-165	16.5	600	500	1	9,700
PHL6-180	18.0	600	500	1	14,000

PHL8type (全長800mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHL8-120	12.0	800	500	1	9,200
PHL8-125	12.5	800	500	1	9,200
PHL8-127	12.7	800	500	1	9,200

ポイントハンマー(SDS軸ドリル)【軽量ハンマードリル用】

PHL10type (全長1000mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHL10-120	12.0	1000	250	1	9,500
PHL10-125	12.5	1000	250	1	9,500
PHL10-127	12.7	1000	250	1	9,700
PHL10-130	13.0	1000	250	1	11,000
PHL10-145	14.5	1000	250	1	12,500
PHL10-160	16.0	1000	250	1	13,300
PHL10-165	16.5	1000	250	1	13,500
PHL10-180	18.0	1000	250	1	17,000

PHL12type (全長1250mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHL12-120	12.0	1250	250	1	13,000
PHL12-125	12.5	1250	250	1	13,000
PHL12-127	12.7	1250	250	1	14,000

PHL15type (全長1500mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHL15-120	12.0	1500	250	1	15,000
PHL15-125	12.5	1500	250	1	15,000
PHL15-127	12.7	1500	250	1	16,000
PHL15-145	14.5	1500	250	1	18,000
PHL15-160	16.0	1500	250	1	20,000
PHL15-165	16.5	1500	250	1	20,000

PHL17type (全長1750mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHL17-120	12.0	1750	250	1	17,500
PHL17-125	12.5	1750	250	1	17,500
PHL17-127	12.7	1750	250	1	18,500

PHL20type (全長2000mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHL20-120	12.0	2000	250	1	19,000
PHL20-125	12.5	2000	250	1	19,000
PHL20-127	12.7	2000	250	1	20,000
PHL20-145	14.5	2000	250	1	22,000
PHL20-165	16.5	2000	250	1	25,000

PHL25type (全長2500mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHL25-120	12.0	2500	250	1	27,000
PHL25-125	12.5	2500	250	1	27,000
PHL25-127	12.7	2500	250	1	28,000

ポイントハンマー クロスビット(SDS軸ドリル)【軽量ハンマードリル用】

PHCtype (全長160mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
PHC-85	8.5	160	100	10	2,300
PHC-100	10.0	160	100	10	2,400
PHC-105	10.5	160	100	10	2,400
PHC-120	12.0	160	100	10	2,500
PHC-125	12.5	160	100	10	2,500
PHC-127	12.7	160	100	10	2,500
PHC-130	13.0	160	100	10	2,600
PHC-140	14.0	160	100	10	2,800
PHC-145	14.5	160	100	10	2,900
PHC-150	15.0	160	100	5	3,200
PHC-160	16.0	160	100	5	3,500
PHC-165	16.5	160	100	5	3,700
PHC-170	17.0	160	100	5	3,700
PHC-180	18.0	160	100	5	4,300

ポイントハンマー クロスビット(SDS軸ドリル)【軽量ハンマードリル用】

PHC2type (全長215mm/250mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
PHC2-120	12.0	215	150	10	3,600
PHC2-125	12.5	215	150	10	3,600
PHC2-127	12.7	215	150	10	3,700
PHC2-130	13.0	215	150	10	3,700
PHC2-135	13.5	215	150	10	4,000
PHC2-140	14.0	215	150	10	4,000
PHC2-145	14.5	215	150	10	4,000
PHC2-160	16.0	215	150	10	4,200
PHC2-165	16.5	215	150	10	4,300
PHC2-180	18.0	215	150	5	5,000
PHC2-185	18.5	215	150	5	5,300
PHC2-190	19.0	215	150	5	5,300
PHC2-200	20.0	215	150	5	5,700
PHC2-215	21.5	250	180	5	7,200
PHC2-220	22.0	250	180	5	7,200
PHC2-225	22.5	250	180	5	7,600
PHC2-230	23.0	250	180	5	7,600
PHC2-240	24.0	250	180	5	8,300
PHC2-250	25.0	250	180	5	8,300

PHC3type (全長300mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHC3-120	12.0	300	230	1	5,000
PHC3-125	12.5	300	230	1	5,000
PHC3-127	12.7	300	230	1	5,000
PHC3-130	13.0	300	230	1	5,300
PHC3-145	14.5	300	230	1	5,600
PHC3-150	15.0	300	230	1	5,800
PHC3-160	16.0	300	230	1	6,500
PHC3-165	16.5	300	230	1	6,600
PHC3-180	18.0	300	230	1	7,000
PHC3-190	19.0	300	230	1	7,700
PHC3-200	20.0	300	230	1	8,200
PHC3-220	22.0	300	230	1	9,300

PHC4type (全長400mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHC4-120	12.0	400	320	1	5,600
PHC4-125	12.5	400	320	1	5,600
PHC4-127	12.7	400	320	1	5,700
PHC4-130	13.0	400	320	1	5,800
PHC4-140	14.0	400	320	1	6,200
PHC4-145	14.5	400	320	1	6,200
PHC4-150	15.0	400	320	1	6,500
PHC4-160	16.0	400	320	1	7,500
PHC4-165	16.5	400	320	1	7,700
PHC4-170	17.0	400	320	1	7,900
PHC4-180	18.0	400	320	1	7,900
PHC4-190	19.0	400	320	1	8,200
PHC4-200	20.0	400	320	1	8,800
PHC4-220	22.0	400	320	1	9,500
PHC4-225	22.5	400	320	1	10,000
PHC4-230	23.0	400	320	1	10,000
PHC4-240	24.0	400	320	1	10,500
PHC4-250	25.0	400	320	1	11,500
PHC4-260	26.0	400	320	1	12,000
PHC4-265	26.5	400	320	1	13,500
PHC4-280	28.0	400	320	1	14,000
PHC4-300	30.0	400	320	1	15,000

ポイントハンマー クロスビット(SDS軸ドリル)【軽量ハンマードリル用】

PHC6type (全長600mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHC6-120	12.0	600	500	1	9,000
PHC6-125	12.5	600	500	1	9,000
PHC6-127	12.7	600	500	1	9,000
PHC6-130	13.0	600	500	1	10,000
PHC6-140	14.0	600	500	1	11,000
PHC6-145	14.5	600	500	1	11,000
PHC6-150	15.0	600	500	1	11,000
PHC6-160	16.0	600	500	1	12,000
PHC6-165	16.5	600	500	1	12,500
PHC6-180	18.0	600	500	1	14,000

PHC10type (全長1000mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHC10-120	12.0	1000	250	1	12,000
PHC10-125	12.5	1000	250	1	12,000
PHC10-127	12.7	1000	250	1	12,000
PHC10-145	14.5	1000	250	1	15,000
PHC10-160	16.0	1000	250	1	17,000
PHC10-165	16.5	1000	250	1	17,000
PHC10-180	18.0	1000	250	1	19,000

PHC12type (全長1250mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHC12-120	12.0	1250	250	1	16,000
PHC12-125	12.5	1250	250	1	16,000
PHC12-127	12.7	1250	250	1	16,000

PHC15type (全長1500mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHC15-120	12.0	1500	250	1	17,000
PHC15-125	12.5	1500	250	1	17,000
PHC15-127	12.7	1500	250	1	17,000
PHC15-145	14.5	1500	250	1	21,000
PHC15-165	16.5	1500	250	1	23,000
PHC15-180	18.0	1500	250	1	28,000

PHC17type (全長1750mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHC17-120	12.0	1750	250	1	21,000
PHC17-125	12.5	1750	250	1	21,000
PHC17-127	12.7	1750	250	1	21,000

PHC20type (全長2000mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHC20-120	12.0	2000	250	1	23,000
PHC20-125	12.5	2000	250	1	23,000
PHC20-127	12.7	2000	250	1	23,000
PHC20-145	14.5	2000	250	1	28,000
PHC20-165	16.5	2000	250	1	32,000
PHC20-180	18.0	2000	250	1	34,000

PHC22type (全長2250mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHC22-120	12.0	2250	250	1	29,000
PHC22-125	12.5	2250	250	1	29,000
PHC22-127	12.7	2250	250	1	29,000

PHC25type (全長2500mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
PHC25-120	12.0	2500	250	1	30,000
PHC25-125	12.5	2500	250	1	30,000
PHC25-127	12.7	2500	250	1	30,000

注入用ポイントハンマー(SDS軸ドリル)【軽量ハンマードリル用】

SDS-Ctype (刃先径10.0mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SC100-25	10.0	250	170	1	3,600
SC100-30	10.0	300	220	1	3,800
SC100-40	10.0	400	320	1	4,800
SC100-48	10.0	480	400	1	5,300
SC100-60	10.0	600	500	1	8,000
SC100-68	10.0	685	600	1	9,500
SC100-80	10.0	800	700	1	13,000
SC100-100	10.0	1000	900	1	14,000
SC100-110	10.0	1100	1000	1	16,000
SC100-120	10.0	1200	1100	1	20,000
SC100-130	10.0	1300	1200	1	22,000
SC100-140	10.0	1400	1300	1	25,000
SC100-160	10.0	1600	1500	1	32,000

SDS-Ctype (刃先径10.5mm)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
SC105-25	10.5	250	170	1	3,600
SC105-30	10.5	300	220	1	3,800
SC105-40	10.5	400	320	1	4,800
SC105-48	10.5	480	400	1	5,300
SC105-60	10.5	600	500	1	8,000
SC105-68	10.5	685	600	1	9,500
SC105-80	10.5	800	700	1	13,000
SC105-100	10.5	1000	900	1	14,000
SC105-110	10.5	1100	1000	1	16,000
SC105-120	10.5	1200	1100	1	20,000
SC105-130	10.5	1300	1200	1	22,000
SC100-140	10.5	1400	1300	1	25,000
SC105-160	10.5	1600	1500	1	32,000

ストップドリル【SDS軸(クロス刃)】

SDS軸タイプ(クロス刃)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
STS120-20	12.0	120	20	6	5,000
STS120-30	12.0	120	30	6	5,000
STS120-35	12.0	120	35	6	5,000
STS120-40	12.0	125	40	6	5,200
STS120-45	12.0	130	45	6	5,200
STS125-20	12.5	120	20	6	5,000
STS125-30	12.5	120	30	6	5,000
STS125-35	12.5	120	35	6	5,000
STS125-40	12.5	125	40	6	5,200
STS125-45	12.5	130	45	6	5,200
STS145-45	14.5	130	45	6	5,600
STS160-50	16.0	160	50	6	7,000
STS165-50	16.5	160	50	6	7,200
STS180-55	18.0	160	55	6	8,100

テーパ軸ドリルビット【ハンマードリル用】

MTtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
MT-64	6.4	120	65	10	1,600
MT-65	6.5	120	65	10	1,600
MT-80	8.0	120	65	10	1,450
MT-85	8.5	120	65	10	1,450
MT-100	10.0	120	65	10	1,600
MT-105	10.5	120	65	10	1,650
MT-110	11.0	120	65	10	1,700
MT-120	12.0	120	65	10	1,750
MT-125	12.5	120	65	10	1,750
MT-127	12.7	120	65	10	1,750
MT-130	13.0	120	65	10	1,800
MT-135	13.5	120	65	10	1,850
MT-145	14.5	120	65	10	2,000
MT-160	16.0	120	65	10	2,300
MT-165	16.5	140	90	10	2,500
MT-170	17.0	140	90	10	2,550
MT-180	18.0	140	90	10	2,750
MT-190	19.0	160	100	10	3,400
MT-220	22.0	160	100	10	3,800
MT-225	22.5	160	100	10	4,000
MT-230	23.0	160	100	10	4,000

MTLtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
MTL-100	10.0	200	145	6	2,400
MTL-105	10.5	200	145	6	2,400
MTL-120	12.0	200	145	6	2,600
MTL-125	12.5	200	145	6	2,600
MTL-127	12.7	200	145	6	2,600
MTL-130	13.0	200	145	6	2,700
MTL-140	14.0	200	145	6	3,000
MTL-145	14.5	200	145	6	3,100
MTL-150	15.0	200	145	6	3,100
MTL-160	16.0	200	145	6	3,200
MTL-180	18.0	200	145	6	3,900
MTL-200	20.0	200	145	6	4,600

MTLLtype (法面工専用)

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
MTLL-100	10.0	280	220	10	2,900
MTLL-105	10.5	280	220	10	2,900
MTLL-110	11.0	280	220	10	3,000
MTLL-120	12.0	280	220	10	3,200
MTLL-125	12.5	280	220	10	3,200
MTLL-127	12.7	280	220	10	3,200
MTLL-145	14.5	280	220	10	3,800

テーパ軸クロスドリルビット【ハンマードリル用】

MTCtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
MTC-100	10.0	120	65	10	2,200
MTC-105	10.5	120	65	10	2,200
MTC-110	11.0	120	65	10	2,200
MTC-120	12.0	120	65	10	2,300
MTC-125	12.5	120	65	10	2,300
MTC-127	12.7	120	65	10	2,400
MTC-130	13.0	120	65	10	2,500
MTC-145	14.5	120	65	10	2,900
MTC-160	16.0	140	90	10	3,600
MTC-165	16.5	140	90	10	3,700
MTC-180	18.0	140	90	10	4,100
MTC-185	18.5	140	90	10	4,300
MTC-220	22.0	160	100	10	5,700
MTC-225	22.5	160	100	10	6,100
MTC-230	23.0	160	100	10	6,100

MTLCtype

品番	刃先径 D(mm)	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
MTLC-125	12.5	200	145	6	3,700
MTLC-127	12.7	200	145	6	3,700
MTLC-145	14.5	200	145	6	4,200
MTLC-160	16.0	200	145	6	4,800
MTLC-165	16.5	200	145	6	5,000
MTLC-180	18.0	200	145	6	5,800

アダプター(テーパ軸ドリルビット用)

六角軸ロングアダプター APHtype

品番	全長 L(mm)	箱入数 (本)	標準価格 (1本)	コッター有無
APH-160	160	10	2,600	無
APH-500	500	1	12,000	有
APH-750	750	1	18,000	有
APH-1000	1000	1	20,000	有
APH-1250	1250	1	27,000	有
APH-1500	1500	1	29,500	有
APH-1750	1750	1	36,000	有
APH-2000	2000	1	39,000	有
APH-2250	2250	1	49,000	有
APH-2500	2500	1	53,000	有
APH-2750	2750	1	62,000	有
APH-3000	3000	1	69,000	有

SDS軸ロングアダプター APStype

品番	全長 L(mm)	箱入数 (本)	標準価格 (1本)	コッター有無
APS-120	120	10	2,800	無
APS-500	500	1	12,000	有
APS-1000	1000	1	19,000	有
APS-1500	1500	1	28,000	有

ルートハンマー用六角軸アダプター APRtype (エアーツール用)

品番	全長 L(mm)	箱入数 (本)	標準価格 (1本)	コッター有無
APR-196	196	10	7,900	無

ドリル抜きコッター

品番	全長 L(mm)	入数 (本)	標準価格 (1本)
コッター	120	1	630

SDS軸ジョイントアダプター

ホルダー

品番	全長 L(mm)	箱入数 (本)	標準価格 (1本)
JAP110	110	10	34,000

シャンク

品番	全長 L(mm)	入数 (本)	標準価格 (1本)
JAP6	550	1	7,000
JAP10	950	1	8,000
JAP12	1200	1	10,000
JAP15	1450	1	12,000
JAP17	1700	1	14,000
JAP20	1950	1	15,000

セット(ホルダー+シャンク)

品番	全長 L(mm)	入数 (本)	標準価格 (1本)
JAP100S	1000	1	41,000
JAP150S	1500	1	45,000

内部コーン打込みホルダー【内部コーンアンカー用】

内部コーン打込みホルダー(手打)

品番	サイズ	全長 L(mm)	箱入数 (本)	標準価格 (1本)
HB-2016	1/4 (M6) 2分	160	5	1,200
HB-2516	5/16 (M8) 2.5分	160	5	1,200
HB-3016S	3/8S (M10) 3分	160	5	1,200
HB-3016	3/8 (M10) 3分	160	5	1,200
HB-3060	3/8 (M10) 3分	600	1	4,700
HB-3100	3/8 (M10) 3分	1000	1	6,300
HB-3125	3/8 (M10) 3分	1250	1	7,300
HB-3150	3/8 (M10) 3分	1500	1	8,400
HB-3175	3/8 (M10) 3分	1750	1	9,500
HB-3200	3/8 (M10) 3分	2000	1	10,500
HB-3225	3/8 (M10) 3分	2250	1	12,500
HB-3250	3/8 (M10) 3分	2500	1	14,500
HB-3275	3/8 (M10) 3分	2750	1	17,000
HB-3300	3/8 (M10) 3分	3000	1	20,000
HB-4016	1/2 (M12) 4分	160	5	1,500
HB-4060	1/2 (M12) 4分	600	1	5,800
HB-4100	1/2 (M12) 4分	1000	1	7,600
HB-4150	1/2 (M12) 4分	1500	1	9,600
HB-4200	1/2 (M12) 4分	2000	1	14,000
HB-4250	1/2 (M12) 4分	2500	1	18,000
HB-5016	5/8 (M16) 5分	160	5	3,400

内部コーン打込みホルダー(機械打・SDS軸)

品番	サイズ	全長 L(mm)	箱入数 (本)	標準価格 (1本)
HBK-2016	1/4 (M6) 2分	160	5	1,700
HBK-2516	5/16 (M8) 2.5分	160	5	1,700
HBK-3016S	3/8S (M10) 3分	160	5	1,700
HBK-3016	3/8 (M10) 3分	160	5	1,700
HBK-3060	3/8 (M10) 3分	600	1	5,700
HBK-3100S	3/8S (M10) 3分	1000	1	7,500
HBK-3100	3/8 (M10) 3分	1000	1	7,500
HBK-3125	3/8 (M10) 3分	1250	1	9,500
HBK-3150S	3/8S (M10) 3分	1500	1	10,500
HBK-3150	3/8 (M10) 3分	1500	1	10,500
HBK-3175	3/8 (M10) 3分	1750	1	13,000
HBK-3200	3/8 (M10) 3分	2000	1	14,000
HBK-3225	3/8 (M10) 3分	2250	1	16,000
HBK-3250	3/8 (M10) 3分	2500	1	17,000
HBK-3300	3/8 (M10) 3分	3000	1	23,000
HBK-4016	1/2 (M12) 4分	160	5	2,500
HBK-4060	1/2 (M12) 4分	600	1	8,200
HBK-4100	1/2 (M12) 4分	1000	1	10,000
HBK-4150	1/2 (M12) 4分	1500	1	16,000
HBK-4200	1/2 (M12) 4分	2000	1	20,000

カットアンカー打込みホルダー【本体打込み式アンカー用】

カットアンカー打込みホルダー(手打)

品番	サイズ	全長 L(mm)	箱入数 (本)	標準価格 (1本)
CA-2016	1/4 (M6) 2分	160	5	1,200
CA-2516	5/16 (M8) 2.5分	160	5	1,200
CA-3016S	3/8S (M10) 3分	160	5	1,200
CA-3016	3/8 (M10) 3分	160	5	1,300
CA-3050S	3/8S (M10) 3分	500	1	4,100
CA-3060S	3/8S (M10) 3分	600	1	4,200
CA-3100S	3/8S (M10) 3分	1000	1	5,500
CA-3125S	3/8S (M10) 3分	1250	1	7,000
CA-3150S	3/8S (M10) 3分	1500	1	8,000
CA-3175S	3/8S (M10) 3分	1750	1	9,200
CA-3200S	3/8S (M10) 3分	2000	1	10,500
CA-3225S	3/8S (M10) 3分	2250	1	12,000
CA-3250S	3/8S (M10) 3分	2500	1	13,000
CA-3275S	3/8S (M10) 3分	2750	1	15,000
CA-3300S	3/8S (M10) 3分	3000	1	18,000
CA-4016	1/2 (M12) 4分	160	5	1,600
CA-4020	1/2 (M12) 4分	200	5	1,700
CA-5020	5/8 (M16) 5分	200	5	2,400
CA-6020	3/4 (M20) 6分	200	5	3,000
CA-7020	7/8 (M22) 7分	200	5	3,850
CA-8020	1" (M24) 8分	200	5	4,400

カットアンカー打込みホルダー(機械打・六角型)

品番	サイズ	全長 L(mm)	箱入数 (本)	標準価格 (1本)
CAK-30S	3/8S (M10) 3分	180	5	5,500
CAK-30	3/8 (M10) 3分	180	5	5,500
CAK-40	1/2 (M12) 4分	180	5	5,500
CAK-50	5/8 (M16) 5分	180	5	5,700
CAK-60	3/4 (M20) 6分	185	1	7,000
CAK-70	7/8 (M22) 7分	190	1	8,000
CAK-80	1" (M24) 8分	195	1	9,500

カットアンカー打込みホルダー(機械打・SDS型)

品番	サイズ	全長 L(mm)	箱入数 (本)	標準価格 (1本)
CAKS-3016S	3/8S (M10) 3分	160	5	1,800
CAKS-3016	3/8 (M10) 3分	160	5	2,000
CAKS-3060S	3/8S (M10) 3分	600	1	5,700
CAKS-3100S	3/8S (M10) 3分	1000	1	7,500
CAKS-3150S	3/8S (M10) 3分	1500	1	10,500
CAKS-4016	1/2 (M12) 4分	160	5	2,600

セットアンカー打込みホルダー【スリーブ打込み式アンカー用】

セットアンカー打込みホルダー(手打)

品番	サイズ	全長 L(mm)	有効長 ℓ(mm)	箱入数 (本)	標準価格 (1本)
ST-2516	5/16 (M8) 2.5分	160	50	10	1,300
ST-3016	3/8 (M10) 3分	160	50	10	1,300
ST-3020	3/8 (M10) 3分	200	150	10	2,200
ST-4025	1/2 (M12) 4分	250	200	10	3,400
ST-5025	5/8 (M16) 6分	250	200	10	4,200
ST-6025	3/4 (M20) 6分	250	200	5	5,100
ST-7025	7/8 (M22) 7分	250	200	5	6,200
ST-8025	1" (M24) 8分	250	200	5	8,600

セットアンカー打込みホルダー(機械打・六角型)

品番	サイズ	全長 L(mm)	有効長 ℓ(mm)	入数 (本)	標準価格 (1本)
STK-3023	3/8 (M10) 3分	230	50	1	9,500
STK-4028	1/2 (M12) 4分	280	130	1	9,500
STK-4050	1/2 (M12) 4分	500	130	1	16,000
STK-4075	1/2 (M12) 4分	750	130	1	21,500
STK-5028	5/8 (M16) 5分	280	130	1	11,000
STK-5050	5/8 (M16) 5分	500	130	1	22,000

樹脂系アンカー用アタッチメント

樹脂系アンカー用アタッチメント

品番	差込角	全長 L(mm)	箱入数 (本)	標準価格 (1本)
H-1	12.7角	95	10	2,500
T-1	12.7角	157	10	2,500
T-2	19.0角	157	10	3,000

芯棒打込式アンカー打込みホルダー

芯棒打込式アンカー打込みホルダー(機械打・SDS型)

品番	サイズ	全長 L(mm)	箱入数 (本)	標準価格 (1本)
SIK-30	M10・W3/8	165	5	5,500

パイプ式打込みホルダー(手打)

先端パーツ

品番	品名	箱入数 (本)	標準価格 (1本)
CA5/16-H	本体打込用 (5/16)	10	3,300
CA3/8S-H	本体打込用 (3/8S)	10	3,300
CA3/8-H	本体打込用 (3/8)	10	3,300
CA1/2-H	本体打込用 (1/2)	10	3,300
HKD5/16-H	内部コーン打込用 (5/16)	10	3,300
HKD3/8SS-H	内部コーン打込用 (3/8X20)	10	3,300
HKD3/8S-H	内部コーン打込用 (3/8X30)	10	3,300
HKD3/8-H	内部コーン打込用 (3/8X40)	10	3,300
HKD1/2-H	内部コーン打込用 (1/2)	10	3,300
WA10-H	WA・芯棒打込用 (5/16・3/8)	10	7,000
CA3/8S-LH	本体打込用ロング (3/8S)	1	5,000
HKD3/8S-LH	内部コーン打込用ロング (3/8X30)	1	5,000
D10-H	異形差筋打込用 (D10)	1	6,400
D13-H	異形差筋打込用 (D13)	1	7,500

パイプホルダー

品番	全長 L(mm)	重量 (g)	入数 (本)	標準価格 (1本)
PH-500	500	480g	1	11,000
PH-750	750	680g	1	11,500
PH-1000	1000	880g	1	12,000
PH-1250	1250	1080g	1	12,500
PH-1500	1500	1350g	1	13,000
PH-1750	1750	1450g	1	14,500
PH-2000	2000	1650g	1	15,500

パイプジョイントホルダー

品番	全長 L(mm)	重量 (g)	入数 (本)	標準価格 (1本)
PJH-500	500	500g	1	11,000
PJH-750	750	700g	1	11,500
PJH-1000	1000	900g	1	12,000
PJH-1250	1250	1100g	1	12,500
PJH-1500	1500	1350g	1	13,000
PJH-1750	1750	1500g	1	14,500
PJH-2000	2000	1750g	1	15,500

ジョイントホルダー

品番	全長 L(mm)	重量 (g)	箱入数 (本)	標準価格 (1本)
JH-120	120	300g	5	2,700

ヌッキーS+ 本体打込式アンカー引抜治具

品番	サイズ	全長 L(mm)	箱入数 (本)	標準価格 (1本)
NKS+3/8	W3/8	230	5	16,000
NKS+1/2	W1/2	230	5	16,000


KOMADRILL **株式会社コマドリル**
〒581-0811 大阪府八尾市新家町8-20
TEL.(072)997-2335(代) FAX.(072)922-9560

代理店